Specifications

Select up to three models to view at once. For more than 3 models, scroll left and right to see more specs. If you would like to compare specs between different Case IH equipment or against other competitive equipment, use our <u>Compare</u> <u>Specs Tool.</u>

		Choose One				
Draper Header						
	Cutting width, ft in (m)					
	Rigid or Flex					
	Vertical Flex Range, in (mm)					
	Automatic Header Height Control					
	Gauge / Stabilizer wheels					
	Low Speed Transport					
Sickle Cutterbar						
	Single or double knife					
	Knife width					
	Knife drive					
	Knife speed, strokes per minute					
Reel						
	Number of bats or tine bars					
	Tine material					

Reel Diameter, in (mm)

Choose One

Reel speed, rpm

Draper and Infeed

Cross Belt width, in (mm)

Cross Belt speed, ft/min (m/min)

Center Infeed belt speed, ft/min (m/min)

Center Infeed belt width, in (mm)

Infeed drum or auger diameter, in (mm)

Upper Cross Auger

<u>Weights</u>

Weight, 25' width, lb (kg)

Weight, 30' width, lb (kg)

Weight, 35' width, lb (kg)

Weight, 40' width, lb (kg)

Weight, 45' width, lb (kg)

Sales Literature

Literature number

Literature date

Other Documentation

Document number

Choose One

Choose One

Choose One

Choose One

Choose One

Document date

Entry Dates

Manufacturing status

First Entry Date

Revision Date

na = Not Applicable, np = Not Published

UNCONTROLLED COPY